

# *Valley Water Mill Plant Catalog*

*first draft, Oct. 6, 2011  
second draft, March, 2012  
third draft, June 2012  
fourth draft, April 28th, 2013  
revision May 19th, 2013  
revision June 9th, 2013  
revision July 16th, 2013  
revision September 9th, 2013  
revision November 7th, 2013*

## *Dicotyledons*

### *Aceraceae Maple family*

<i>Acer saccharinum L.</i>	<i>silver maple</i>
<i>Acer saccharum Marshall</i>	<i>sugar maple</i>

### *Amaranthaceae Amaranth family*

<i>Amaranthus retroflexus L.</i>	<i>red root pig weed</i>
----------------------------------	--------------------------

### *Anacardiaceae Cashew family*

<i>Cotinus obovatus Raf. *</i>	<i>smoke tree</i>
	<i>Rhus aromatica Aiton</i>
<i>aromatic sumac</i>	
<i>Rhus glabra L.</i>	<i>smooth sumac</i>
<i>Rhus copallina L.</i>	<i>winged sumac</i>
<i>Toxicodendron radicans (L) Kuntz</i>	<i>poison ivy</i>

## *Apiaceae Carrot family*

<i>Chaerophyllum procumbens</i> (L.) Crantz	<i>wild chervil</i>
<i>Conium maculatum</i> L.	<i>poison hemlock</i>
<i>totaenia canadensis</i> (L.) DC	<i>Cryphonewort</i>
<i>Daucus carota</i> L.	<i>Queen Anne's lace</i>
<i>Sanicula canadensis</i> L.	<i>black snake root</i>
<i>Taenidia integriflora</i> (L.) Drude	<i>yellow pimpernel</i>

## *Aristolochiaceae - Birthwort Family*

<i>Asarum canadensis</i> L.	<i>wild ginger</i>
-----------------------------	--------------------

## *Apiaceae Parsley family*

<i>Thaspium barbinode</i> (Michx.) Nutt.	<i>meadow parsnip</i>
<i>Torilis arvensis</i> (Hudson) Link	<i>hedge parsley</i>
<i>Torilis japonica</i> (Houtt.) DC	<i>hedge parsley</i>

## *Apocynaceae Dogbane family*

<i>Apocynum cannabinum</i> L.	<i>prairie dogbane</i>
-------------------------------	------------------------

## *Asclepidaceae Milkweed family*

<i>Asclepias incarnata</i> L.	<i>swamp milkweed</i>
-------------------------------	-----------------------

## *Asteraceae Sunflower family*

<i>Ageratina altissima</i> (L) R.M. King & H. Rob. ( <i>Eupatorium rugosum</i> )	<i>white snake root</i>
<i>Ambrosia trifida</i> L.	<i>giant ragweed</i>
<i>Ambrosia artemisiifolia</i> L.	<i>common ragweed</i>
<i>Achillea millefolium</i> L.	<i>yarrow</i>
<i>Arctium minus</i> (Hill) Bernh.	<i>burdock</i>
<i>Bidens bipinnata</i> L.	<i>Spanish needles</i>
<i>Carduus nutans</i> L.	<i>nodding thistle</i>
<i>Centaurea stoebe</i> Lam.	<i>spotted knapweed</i>
<i>Chicorium intybus</i> L.	<i>chicory</i>
<i>Cosmos bipinnatus</i> Cav.*	<i>cosmos</i>
<i>Cirsium arvense</i> L. Scop.	<i>Canada thistle</i>

<i>Conyza canadensis</i> (L) Cronq.	horse weed
<i>Coriopsis</i> sp. (not relocated so far)	tickseed sunflower
<i>Echinacea paradoxa</i> * (Norton) Britton	yellow coneflower
<i>Elephantopus carolinianus</i> Raeusch.	elephant's foot
<i>Erechites hieracifolia</i> (L) Raf.ex DC.	fire weed
<i>Erigeron annuus</i> (L) Pers.	daisy fleabane
<i>Eupatorium altissimum</i> L.	tall thorough wort
<i>Eupatorium purpureum</i> L	green-stemmed Joe Pye weed
<i>Eupatorium serotinum</i> Michx.	late boneset
<i>Gaillardia pulchella</i> Foug.*	fire wheels
<i>Galensoga quadriradiata</i> Ruiz & Pav.	quickweed
<i>Gamochaeta purpurea</i> (L.) Cabrera	purple cudweed
<i>Helenium autumnale</i> * L.	sneezeweed
<i>Helianthus annuus</i> L.	common sunflower
<i>Helianthus hirsuta</i> Raf.	hairy sunflower
<i>Helianthus tuberosa</i> L.	Jerusalem artichoke
<i>Heliopsis helianthoides</i> (L.) Sweet	ox-eyed sunflower
<i>Heterotheca camporum</i>	golden aster
<i>Lactuca floridana</i> (L) Gaertner	wild lettuce
<i>Lactuca saligna</i> L.	willow-leaved lettuce
<i>Liatris pycnostachya</i> * Michx.	prairie gay feather
<i>Ratibida columnifera</i> * (Nutt.) Wooton & Standl.	Mexican hat
<i>Rudbeckia hirta</i> L.	black-eyed Susan
<i>Rudbeckia laciniata</i> L.	wild golden glow
<i>Rudbeckia subtomentosa</i> pursh.	sweet coneflower
<i>Rudbeckia triloba</i> L.	brown-eyed susan
<i>Solidago altissima</i> L.	tall goldenrod
<i>Solidago altissima</i> var. <i>gilvocanescens</i> L.	tall goldenrod
<i>Solidago juncea</i> Ait.	early goldenrod
<i>Sonchus arvensis</i> L.	sow thistle
<i>Symphoricarpon oblongifolium</i> (Nutt.) G. L. Nesom	aromatic aster
<i>Symphoricarpon patens</i> Dryander	spreading aster
<i>Symphoricarpon pilosus</i> (Willd.) G.L. Nesom	white heath aster
<i>Symphoricarpon urophyllum</i> (Lindl.) G. L. Nesom	aster
<i>Taraxacum erythrospermum</i> Andrz.	red-seeded dandelion
<i>Taraxicum officinalis</i> L. Weber ex F. H. Figg	common dandelion
<i>Thelesperma filifolium</i> (Hook.) A. Gray	green thread
<i>Verbesina virginica</i> L.	wing stem, white crown beard
<i>Vernonia baldwinii</i> Torr.	Baldwin's ironweed

### *Balsaminaceae* Touch me not family

*Impatiens capensis* (Meerb.) touch me not, jewelweed

### *Berberidaceae* Barberry family

*Podophyllum peltatum L.* *mayapple*

*Betulaceae Birch family*

*Ostrya virginiana* (Mill.) K. Koch *hop hornbeam*

*Bignoniaceae Trumpet creeper family*

*No species at this time*

*Boraginaceae Borage family*

*Onosmodium occidentale* Mackenz *scorpion grass*

*Brassicaceae Mustard family*

<i>Barbarea vulgaris</i> R. Br.	<i>yellow rocket</i>
<i>Erysimum capitatum</i> * (Dougl.) Greene	<i>western wallflower</i>
<i>Lepidium virginicum</i> L.	<i>Virginia pepper grass</i>
<i>Nasturtium officionalis</i> (L) Hayek ( <i>Rorippa nasturtium-aquaticum</i> )	<i>watercress</i>
<i>Physaria filiformis</i> (Rollins) O'Kane & Al-Shehbaz	<i>Mo. bladder pod</i>
<i>Sisymbrium officionale</i> (L.) scop.	<i>hedge mustard</i>

*Cactaceae Cactus family*

*Opuntia compressa* (Salisb.) Macbr. *prickly pear cactus*

*Campanulaceae Bellflower family*

<i>Lobelia inflata</i> L.	<i>indian tobacco</i>
<i>Lobelia americana</i> L.	<i>tall bellflower</i>
<i>Lobelia siphilitica</i> * L.	<i>blue lobelia</i>
<i>Triodanis biflora</i> (R & P) Fisch. & Mey.	<i>Venus looking glass</i>

### *Caprifoliaceae Honeysuckle family*

<i>Lonicera japonica</i> Thunb.	<i>Japanese honeysuckle</i>
<i>Lonicera morrowi</i> Gray **	<i>bush honeysuckle</i>
<i>Lonicera sempervirens</i> L	<i>trumpet honeysuckle</i>
<i>Sambucus canadensis</i> L.	<i>elderberry</i>
<i>Symporicarpos orbiculatus</i> Moench	<i>buck brush</i>
<i>Triosteum perfoliatum</i> L.	<i>horse gentian</i>
<i>Viburnum carlesii</i> **	<i>koreanspice viburnum</i>
<i>Viburnum rafinesqueanum</i> Schultes	<i>downy arrow wood</i>
<i>Viburnum rufidulum</i> Raf.	<i>rusty black haw</i>

### *Caryophyllaceae Pink family*

<i>Cerastium nutans</i> Raf.	<i>nodding chickweed</i>
<i>Dianthus barbatus</i> * L.	<i>sweet william</i>
<i>Cerastium vulgatum</i> L.	<i>common mouse-eared chickweed</i>
<i>Dianthus armeria</i> L.	<i>Deptford pink</i>

### *Celtidaceae Hackberry family*

<i>Celtis occidentalis</i> L.	<i>hackberry</i>
-------------------------------	------------------

### *Ceratophyllaceae Hornwort family*

<i>Ceratophyllum echinatum</i> A. Gray	<i>coon tail</i>
--	------------------

### *Celastraceae Staff tree family*

<i>Celastrus orbiculatus</i> Thunb.**	<i>oriental bittersweet</i>
<i>Celastrus scandens</i> L.	<i>bittersweet</i>
<i>Euonymus fortunei</i> (Turcz.)	<i>winter creeper</i>

*Chenopodiaceae* *Goosefoot family*

*Chenopodium album* L.

*lamb's quarters*

*Clusiaceae* *St John's wort family*

*Ellisia nyctelea* L.

*Aunt Lucy*

*Hypericum prolificum\** L.

*shrubby St. John's wort*

*Convolvulaceae* *Morning glory family*

*Convolvulus arvensis* L.

*field bindweed*

*Convolvulus sepium* L.

*hedge bindweed*

*Ipomoea hederacea* (L) Jacq.

*ivy-leaf morning glory*

*Ipomoea lacunosa* L.

*sm. white morning glory*

*Cornaceae* - *Dogwood Family*

*Cornus florida* L.

*dogwood*

*Cornus drummondii* C. A. Mey.

*rough-leaved dogwood.*

*Crassulaceae* *Stone crop family*

*Sedum ternatum* Michx.

*woodland stonecrop*

*Dipsaceae* *Teasel family*

*Dipsacus fullonum* L. \*\*

*teasel*

*Ebenaceae* *Ebony family*

*Diospyros virginiana* L.

*persimmon*

## *Elaeagnaceae* Oleaster family

*Elaeagnus umbellata* Thunb.\*\*

autumn olive

## *Euphorbiaceae* Spurge family

*Acalypha ostryafolia* Riddell

hop hornbeam copper leaf

*Acalypha virginica* L.

Virginia copperleaf

*Chamaesyce nutans* L.

nodding spurge.

*Croton monanthogynus* (Michaux)

prairie tea

*Euphorbia cyathophora* L.

wild poinsettia

*Phyllanthus caroliniensis* Walt.

leaf-flower

## *Fabaceae* Bean family

*Amphicarpa bracteata* (L.) Fern

hog peanut

*Chamaecrista fasciculata* (Michaux) E. Greene

partridge pea

*Coronilla varia* L.

crown vetch

*Desmanthus illinoensis* (Michaux)

Illinois bundle flower

*Desmodium canadense* (L.) DC

tickseed, beggar's lice

*Desmodium glutinosum* (Muhl.) Wood

tick trefoil

*Desmodium paniculatum* (L) DC

tick trefoil

*Gleditsia triacanthos* L.

honey locust

*Lespedeza cuneata* (Dum. Cours)\*\*

sericea lespedeza

*Lespedeza intermedia* (S. Wats.) Britt.

bush clover

*Lespedeza repens* (L.) Bart.

creeping bush clover

*Lespedeza stipulacea* Maxim.

Korean clover

*Medicago lupulina* L.

black medic

*Robinia pseudo-acacia* L.

black locust

*Strophostyles* sp.

sm. yellow hop clover

*Trifolium dubium* Sibth.

red clover

*Trifolium pratense* L.

white clover

*Trifolium repens* L.

vetch

*Vicia villosa* Roth.

## *Fagaceae* Oak family

*Quercus alba* L.

white oak

*Quercus falcata* Michx.

southern red oak

<i>Quercus imbricaria</i> Michx.	<i>shingle oak</i>
<i>Quercus muehlenbergii</i> f. <i>alexanderi</i> Engelm.	<i>chinquapin oak</i>
<i>Quercus palustris</i> Muenchh.	<i>pin oak</i>
<i>Quercus rubra</i> L.	<i>northern red oak</i>
<i>Quercus stellata</i> Wangenh.	<i>post oak</i>

### *Geraniaceae Geranium family*

<i>Geranium pusillum</i> Burm. f.	<i>small cranesbill</i>
-----------------------------------	-------------------------

### *Grossulariaceae Gooseberry family*

<i>Ribes missouriensis</i> Nutt. ex Torrey & A. Gray	<i>gooseberry</i>
--	-------------------

### *Hippocastanaceae - Horse Chestnut Family*

<i>Aesculus glabra</i> Willd.	<i>Ohio buckeye</i>
-------------------------------	---------------------

### *Juglandaceae Walnut family*

<i>Carya lacinosa</i> (Michx.) Loud.	<i>big shell-bark hickory</i>
<i>Carya ovata</i> (Mill.) K. Koch	<i>shag bark hickory</i>
<i>Juglans nigra</i> L.	<i>black walnut</i>

### *Lamiaceae Mint family*

<i>Lamium purpureum</i> L.	<i>dead nettle</i>
<i>Monarda fistulosa</i> L.	<i>bee balm</i>
<i>Perrilla frutescens</i> (L.) Britt.**	<i>beef steak plant</i>
<i>Physostegia virginiana</i> (L.) Benth.	<i>obedience, false dragon head</i>
<i>Teucrium canadense</i> L.	<i>germander</i>

### *Lythraceae Loosestrife family*

<i>Cuphea viscosissima</i> (L.) Kochne	<i>clammy cuphea</i>
--	----------------------

*Malvaceae Mallow family*

<i>Althaea rosea</i> * L.	
<i>Callirhoe involucrata</i> * (T&G) Gray	<i>hollyhock</i>
<i>Sida spinosa</i> L.	<i>purple poppy mallow</i> <i>prickly sida</i>

*Menispermaceae Moonseed family*

<i>Menisperma canadense</i> L.	<i>moonseed</i>
--------------------------------	-----------------

*Molluginaceae Carpetweed family*

<i>Mollugo verticillata</i> L.	<i>carpet weed</i>
--------------------------------	--------------------

*Moraceae Mulberry family*

<i>Morus alba</i> L.	<i>white mulberry</i>
<i>Morus rubra</i> L.	<i>red mulberry</i>

*Nyctaginaceae Four-o-clock family*

<i>Mirabilis nyctaginea</i> (Michaux) MacMillan	<i>wild four-o'clock</i>
---	--------------------------

*Oleaceae Olive family*

<i>Fraxinus americana</i> L.	<i>white ash</i>
<i>Fraxinus pennsylvanica</i> var. sub. <i>Marshall</i>	<i>green ash</i>
<i>Ligustrum ovalifolium</i> Hassk. **	<i>California privet</i>

*Onagraceae Evening Primrose family*

<i>Oenothera biennis</i> L.	<i>Texas evening primrose</i>
-----------------------------	-------------------------------

*Orobanchaceae* Broomrape family

*Dasistoma macrophylla* (Nutt.) Raf. mullein foxglove

*Oxalidaceae* Wood Sorrel family

*Oxalis florida* Jacq. yellow wood sorrel  
*Oxalis violacea* L. violet wood sorrel

*Passifloraceae* Passion Flower

*Passiflora incarnata* L. passion flower Pas-  
*Passiflora lutea* L. May pops

*Plantaginaceae* Plantain family

*Penstemon digitalis* Nutt. x Sims foxglove beard tongue  
*Plantago lanceolata* English plantain  
*Plantago major* L. broadleaf plantain  
*Veronica arvensis* L. corn speedwell  
*Veronica polita* Fries speedwell

*Phrymaceae* Lopseed family

*Phryma leptostachya* L. lopseed

*Phytolaccaceae* Poke family

*Phytolacca americana* L. poke weed

*Polygonaceae* Buckwheat family

<i>Persicaria hydropiper</i> (L.) Spach	water pepper
<i>Fallopia convolvulus</i> L.	vining buckwheat
<i>Polygonum ramosissimum</i> (Small) Costea & Tardif	bushy knotweed
<i>Rumex altissimus</i> Wood	pale dock
<i>Rumex crispus</i> L.	sour dock

### Portulacaceae

<i>Claytonia virginica</i> L.	spring beauty
-------------------------------	---------------

### Ranunculaceae Buttercup family

<i>Anemone virginiana</i> L.	thimble flower
<i>Anemone quinquefolia</i> L. (formerly <i>Anemonella thalactroides</i> )	wood anemone
<i>Aquilegia canadensis</i> L.	columbine
<i>Delphinium tricorne</i> Michx.	dwarf larkspur
<i>Ranunculus recurvatus</i> Poir.	hooked crowfoot
<i>Ranunculus hispidus</i> Michx. var. <i>nitidus</i> (Chapm.) T. Duncan	swamp buttercup
<i>Ranunculus harveyi</i> (Gray) Britt.	Harvey's buttercup
<i>Ranunculus sceleratus</i> L.	cursed crowfoot

### Rosaceae Rose family

<i>Agrimonia pubescens</i> Wallr.	agrimony
<i>Duchesnea indica</i> (Andr.) Focke	indian strawberry
<i>Geum canadense</i> Jacq.	white avens
<i>Geum vernum</i> (Raf.) T & G	early water avens
<i>Gillenia stipulata</i> (Muhl.) Trel.	indian physic
<i>Potentilla recta</i> L.	rough fruited cinquefoil
<i>Prunus serotina</i> Ehrh.	wild black cherry
<i>Pyrus calleryana</i> Decne.**	callery, bradford pear
<i>Rosa carolina</i> L.	Carolina rose, pasture rose
<i>Rosa multiflora</i> Thunb. ex Murray**	multiflora rose
<i>Rosa setigera</i> Michx.	climbing rose, prairie rose
<i>Rubus enslenii</i> Tratt	dew berry
<i>Rubus occidentalis</i> L.	black raspberry

### *Rubiaceae Madder family*

<i>Galium aparine L.</i>	<i>cleavers</i>
<i>Galium concinnum Torr. &amp; A. Gray</i>	<i>bedstraw</i>
<i>Galium triflorum Michx</i>	<i>sweet scented bed straw</i>
<i>Hedyotis nigricans (Lam.) Fosb.</i>	<i>glade bluets</i>
<i>Sherardia arvensis L.</i>	<i>field madder</i>

### *Santalaceae Sandalwood family*

<i>Comandra umbellata (L.) Nutt.</i>	<i>bastard toad flax</i>
--------------------------------------	--------------------------

### *Sapotaceae Sapodilla family*

<i>Sideroxylon lanuginosa (Michaux)</i>	<i>Gum bumelia</i>
---	--------------------

### *Saxifragaceae Saxifrage family*

<i>Heuchera americana L.</i>	<i>coral bells, alum</i>
<i>root</i>	

### *Scrophulariaceae Figwort family*

<i>Scrophularia marilandica L.</i>	<i>carpenter's square</i>
<i>Verbascum thapsus L.</i>	<i>mullein, flannel plant</i>
<i>Verbascum blattaria L.</i>	<i>moth mullein</i>

### *Solanaceae Nightshade family*

<i>Solanum carolinense L.</i>	<i>horse nettle</i>
<i>Solanum physalifolium (Sendtner) Rusby</i>	<i>hairy nightshade</i>
<i>Physalis longifolia Nutt.</i>	<i>long-leaved ground cherry</i>

### *Staphyleaceae Bladdernut family*

<i>Staphlea trifolia L.</i>	<i>bladdernut</i>
-----------------------------	-------------------

## *Ulmaceae*

<i>Ulmus alata</i> Michx.	winged elm
<i>Ulmus rubra</i> Muhl.	red elm, slippery elm

## *Urticaceae Nettle family*

<i>Pilea pumila</i> (L) A. Gray	clear weed
---------------------------------	------------

## *Valerianaceae Valerian family*

<i>Valerianella radiata</i> (L.) Dufr.	corn salad
--	------------

## *Verbenaceae Vervain family*

<i>Glandularia canadenses</i> (L.) Nutt.	rose verbena
--	--------------

## *Violaceae - Violet Family*

<i>Viola bicolor</i> pursh. ana)	johnny jump-up (formerly <i>Viola kitabeliana</i> )
<i>Viola pubescens</i> Aiton (formerly <i>Viola pennsylvanica</i> )	smooth yellow violet
<i>Viola sagittata</i> Ait.	arrow-leaved violet
<i>Viola sororia</i> Willd.	wood violet

## *Vitaceae Grape family*

<i>Amphelopsis cordata</i> Michx.	raccoon grape
<i>Parthenocissus quinquefolia</i> (L) Planch.	Virginia creeper
<i>Vitus cinerea</i> Engelm.	gray-back grape

## *Pteridophytes Ferns and Fern Allies*

## *Aspleniaceae Spleenwort fern family*

## *Dryopteridaceae* Woodfern family

*Athyrium filix-femina* (L) Roth ex Mertens      lady fern

## Selaginellaceae

*Selaginella apoda* (L.) Spring in Mart. et al. meadow spikemoss

## *Ophioglossaceae Adder's tongue fern family*

*Botrychium virginianum* L. Sw.      *rattlesnake fern*  
*Ophioglossum engelmannii* Prantl      *adder's tongue fern*

## Gymnosperms

## *Cupressaceae - Cypress Family*

*Juniperus virginica* L. east. red cedar  
*Taxodium distichum* (L.) Rich \* bald cypress

## *Monocotyledons*

## Alliaceae Onion family

<i>Allium vineale</i> L.	<i>field garlic</i>
<i>Allium stellatum</i> Ker. Gawler	<i>fall glade onion</i>
<i>Nothoscordum bivalve</i> (L.) Britt.	<i>false garlic</i>

### *Agavaceae - Agave Family*

<i>Camassia scilloides</i> (raf.) Cory	<i>wild hyacinth</i>
--	----------------------

### *Asparagaceae Asparagus family*

<i>Liriope muscari</i> L.	<i>lily turf</i>
---------------------------	------------------

### *Colchicaceae - Colchicum Family*

<i>Uvularia perfoliata</i> L.	<i>bell wort</i>
-------------------------------	------------------

### *Cyperaceae Sedge family*

<i>Carex albursina</i> E. Sheld.	<i>caric sedge</i>
<i>Carex eburnea</i> Boott. in Hook.	<i>caric sedge</i>
<i>Carex frankii</i> Kunth	<i>Frank's caric sedge</i>
<i>Carex vulpinoidea</i> Michx.	<i>fox sedge</i>
<i>Cyperus strigosus</i> L.	<i>umbrella sedge</i>

### *Dioscoreaceae Yam family*

<i>Dioscorea villosa</i> L.	<i>wild yam</i>
-----------------------------	-----------------

### *Hemerocallidaceae - Day Lily Family*

<i>Hemerocallis fulva</i> * (L.) L.	<i>orange day lily</i>
-------------------------------------	------------------------

### *Iridaceae Iris family*

<i>Iris virginica</i> L.	<i>southern blue flag</i>
<i>Sysrinchium bermudiana</i> L. em Fernald	<i>blue-eyed grass</i>

### *Lemnaceae Duckweed family*

<i>Lemna minor</i> L.	duck weed
<i>Wolffia columbiana</i> Karst.	water meal

### *Liliaceae* lily family

<i>Erythronium albidum</i> Nutt.	trout lily
----------------------------------	------------

### *Melanthiaceae* - Death Camas Family

<i>Trillium sessile</i> L.	wake robin
----------------------------	------------

### *Orchidaceae* Orchid family

<i>Spiranthes</i> sp. (not relocated so far)	ladies tresses
--	----------------

### *Poaceae* Grass family

<i>Agrostis hyemalis</i> (Walt.)	tickle grass
<i>Andropogon virginicus</i> L.	broom sedge
<i>Avena fatua</i> (L.)	nodding oats
<i>Bromus</i> sp. (not relocated so far)	
<i>Buchloe dactyloides</i> * (Nutt.) Engelm	buffalo grass
<i>Bouteloua curtipendula</i> (Michaux) Torr.	side oats grama
<i>Chasmanthium latifolium</i> (Michaux.)	sea oats
<i>Cynodon dactylon</i> (L) Pers.	Bermuda grass
<i>Digitaria sanguinalis</i> (L) Scop.	crab grass
<i>Echinochloa colonum</i> L.	jungle rice
<i>Elymus virginicus</i> L.	wild rye
<i>Festuca obtusa</i> Biehler	nodding fescue
<i>Festuca rubra</i> L.	fescue
<i>Hystrix patula</i> Moench	bottlebrush grass
<i>Lolium perenne</i> L.	perennial rye grass
<i>Panicum capillare</i> L.	common witch grass
<i>Panicum flexile</i> (Gattinger) Scribn.	wiry witchgrass
<i>Paspalum floridanum</i> Michaux	Florida paspalum
<i>Paspalum laeve</i> Michaux	bead grass
<i>Paspalum pubiflorum</i> Rupr. ex E. Fourn.	hairy seeded bead grass
<i>Phalaris arundinacea</i>	canary reed grass
<i>Poa annua</i> L.	annual blue grass
<i>Schizachyrium scoparium</i> (Michaux) Nash	little blue stem

<i>Setaria faberii</i> R.A W. Herrm.	giant foxtail
<i>Setaria glauca</i> (L) Beauv.	yellow foxtail
<i>Setaria pumila</i> (Poir.) Roem. & Schultz.	yellow foxtail
<i>Setaria viridis</i> (L) P. Beauv.	green foxtail
<i>Sorghum halepense</i> (L) Pers.	Johnson grass
<i>Sporobolus heterolepis</i> * (A. Gray) A. Gray	prairie dropseed
<i>Tridens flavus</i> (L) A. Hitchc.	purpletop

## Ruscaceae Butcher's Broom family

*Maianthemum canadense* (L.) Link      false Solomon seal

## *Smilacaceae Greenbriar family*

*Smilax pulverulenta* Michaux. *carrion flower*  
*Smilax tamnoides* L. var. *hispida* (Muhl.) Fern *cat briar*

\* An asterisk after a name indicates the plant or tree is an introduced species likely from a nursery, in the case of trees, or from a seed mix.

**\*\* Two asterisks after a plant name indicates an invasive and/or non-native species.**