

# *Valley Water Mill Plant Catalog*

first draft, Oct. 6, 2011  
second draft, March, 2012  
third draft, June 2012  
fourth draft, April 28th, 2013  
revision May 19th, 2013  
revision June 9th, 2013  
revision July 16th, 2013  
revision September 9th, 2013  
revision November 7th, 2013  
revision May 27, 2014  
revision September, 2014  
revision October 2014  
revision March, 2015  
revision October, 2015  
revision April, 2016  
revision May, 2016  
revision October, 2016

## *Dicotyledons*

### *Acanthaceae Acanthus family*

*Ruellia strepens L.* smooth petunia

### *Amaranthaceae Amaranth family*

*Amaranthus retroflexus L.* red root pig weed

### *Anacardiaceae Cashew family*

*Cotinus obovatus Raf.* \* smoke tree  
*Rhus aromatica Aiton*

aromatic sumac

*Rhus glabra L.*

smooth sumac

*Rhus copallina L.*

winged sumac

*Toxicodendron radicans (L.) Kuntz*

poison ivy

### *Apiaceae Carrot family*

*Chaerophyllum procumbens (L.) Crantz* wild chervil  
*Chaerophyllum tainteria Hook.* wild chervil  
*Conium maculatum L.* poison hemlock Cryp-  
*totaenia canadensis (L.) DC* honewort

<i>Daucus carota</i> L.	Queen Anne's lace
<i>Sanicula canadensis</i> L.	black snake root
<i>Taenidia integerrima</i> (L.) Drude	yellow pimpernel
<i>Thaspium barbinode</i> (Michx.) Nutt.	meadow parsnip
<i>Torilis arvensis</i> (Hudson) Link	hedge parsley
<i>Torilis japonica</i> (Houtt.) DC	hedge parsley
<i>Zizia aurea</i> (L.) W. D. J. Koch	golden alexander

### Apocynaceae Dogbane family

<i>Apocynum cannabinum</i> L.	prairie dogbane
<i>Asclepias incarnata</i> L.	swamp milkweed
<i>Asclepias purpurascens</i> L.	purple milkweed
<i>Asclepias quadrifolia</i> Jacq.	four-leaved milkweed

### Aristolochiaceae - Birthwort Family

<i>Asarum canadensis</i> L.	wild ginger
-----------------------------	-------------

### Asteraceae Sunflower family

<i>Achillea millefolium</i> L.	yarrow
<i>Ageratina altissima</i> (L.) R.M. King & H. Rob. (formerly <i>Eupatorium rugosum</i> )	white snake root
<i>Ambrosia trifida</i> L.	giant ragweed
<i>Ambrosia artemisiifolia</i> L.	common ragweed
<i>Arctium minus</i> (Hill) Bernh.	burdock
<i>Arnoglossum atriplicafolia</i> (L.) H. Rob.	pale indian plantain
<i>Bidens bipinnata</i> L.	Spanish needles
<i>Brachyura pilosa</i> (Nutt.) Semple	golden aster
<i>Carduus nutans</i> L.	nodding thistle
<i>Centaurea stoebe</i> Lam.	spotted knapweed
<i>Chicorium intybus</i> L.	chicory
<i>Conoclinium coelestinum</i> (L.) Cronquist	blue mist flower
<i>Cosmos bipinnatus</i> Cav.*	cosmos
<i>Cirsium arvense</i> L. Scop.	Canada thistle
<i>Conyza canadensis</i> (L.) Cronq.	horse weed
<i>Coriopsis</i> sp. (not relocated so far)	tickseed sunflower
<i>Echinacea pallida</i> (Nutt.) Nutt.	pale purple coneflower
<i>Echinacea paradoxa</i> (Norton) Britton*	yellow coneflower
<i>Eclipta alba</i> (L.) Hassk	yerba de tajo
<i>Elephantopus carolinianus</i> Raeusch.	elephant's foot
<i>Erechtites hieracifolia</i> (L.) Raf.ex DC.	fire weed
<i>Erigeron annuus</i> (L.) Pers.	daisy fleabane
<i>Erigeron strigosus</i> Muhl.ex Willd.	daisy fleabane
<i>Eupatorium altissimum</i> L.	tall thorough wort
<i>Eupatorium purpureum</i> L	green-stemmed Joe Pye weed

<i>Eupatorium serotinum</i> Michx.	late boneset
<i>Gaillardia pulchella</i> Foug.*	fire wheels
<i>Galensoga quadriradiata</i> Ruiz & Pav.	quickweed
<i>Gamochaeta purpurea</i> (L.) Cabrera	purple cudweed
<i>Helenium autumnale</i> * L.	sneezeweed
<i>Helianthus annuus</i> L.	common sunflower
<i>Helianthus hirsuta</i> Raf.	hairy sunflower
<i>Helianthus tuberosa</i> L.	Jerusalem artichoke
<i>Heliopsis helianthoides</i> (L.) Sweet	ox-eyed sunflower
<i>Heterotheca camporum</i>	golden aster
<i>Lactuca floridana</i> (L) Gaertner	wild lettuce
<i>Lactuca saligna</i> L.	willow-leaved lettuce
<i>Liatris pycnostachya</i> Michx. *	prairie gay feather
<i>Ratibida columnifera</i> (Nutt.) Wooton & Standl. *	Mexican hat
<i>Ratibida pinnata</i> (Vent) Barnhart	grey-headed coneflower
<i>Rudbeckia hirta</i> L.	black-eyed Susan
<i>Rudbeckia laciniata</i> L.	wild golden glow
<i>Rudbeckia subtomentosa</i> pursh.	sweet coneflower
<i>Rudbeckia triloba</i> L.	brown-eyed susan
<i>Solidago altissima</i> L.	tall goldenrod
<i>Solidago altissima</i> var. <i>gilvacanescens</i> L.	tall goldenrod
<i>Solidago juncea</i> Ait.	early goldenrod
<i>Sonchus arvensis</i> L.	sow thistle
<i>Symphyticum lanceolata</i> (Willd.)	tall white aster
<i>Symphyticum oblongifolium</i> (Nutt.) G. L. Nesom	aromatic aster
<i>Symphyticum patens</i> Dryander	spreading aster
<i>Symphyticum pilosus</i> (Willd.) G.L. Nesom	white heath aster
<i>Symphyticum urophyllum</i> (Lindl.) G. L. Nesom	aster
<i>Taraxacum erythrospermum</i> Andrz.	red-seeded dandelion
<i>Taraxicum officinalis</i> L. Weber ex F. H. Figg	common dandelion
<i>Thelesperma filifolium</i> (Hook.) A. Gray	green thread
<i>Tragopogon dubius</i> Scop.	goat's beard
<i>Verbesina alternifolia</i> (L.) Britton ex Kearney	yellow crownbeard
<i>Verbesina virginica</i> L.	wing stem, white crown beard
<i>Vernonia baldwinii</i> Torr.	Baldwin's ironweed

### Balsaminaceae Touch me not family

<i>Impatiens capensis</i> (Meerb.)	touch me not, jewelweed
------------------------------------	-------------------------

### Berberidaceae Barberry family

<i>Podophyllum peltatum</i> L.	mayapple
<i>Podophyllum peltatum</i> f. <i>deamii</i>	rose-flowered mayapple

### Betulaceae Birch family

<i>Ostrya virginiana</i> (Mill.) K. Koch	hop hornbeam
--	--------------

*Bignoniaceae* Trumpet creeper family

No species at this time

*Boraginaceae* Borage family

<i>Ellisia nyctelea</i> (L.) L.	Aunt Lucy
<i>Lithospermum arvense</i> L.	corn gromwell
<i>Onosmodium occidentale</i> Mackenz	scorpion grass

*Brassicaceae* Mustard family

<i>Barbarea vulgaris</i> R. Br.	yellow rocket
<i>Capsella bursa-pastoris</i> (L.) Medik. **	shepard's purse
<i>Cardamine hirsuta</i> L.	hairy cress
<i>Cardamine pensylvanica</i> Muhl.	Penn. bitter cress
<i>Cardaria draba</i> (L.) Desv.	hoary cress
<i>Erysimum capitatum</i> * (Dougl.) Greene	western wallflower
<i>Lepidium desiglorum</i> Schrad.	pepper grass
<i>Lepidium virginicum</i> L.	Virginia pepper grass
<i>Nasturtium officionalis</i> (L.) Hayek ( <i>Rorippa nasturtium-aquaticum</i> )	watercress
<i>Physaria filiformis</i> (Rollins) O'Kane & Al-Shehbaz	Mo. bladder pod
<i>Sisymbrium officionale</i> (L.) scop.	hedge mustard

*Cactaceae* Cactus family

<i>Opuntia compressa</i> (Salisb.) Macbr.	prickly pear cactus
---	---------------------

*Campanulaceae* Bellflower family

<i>Lobelia inflata</i> L.	indian tobacco
<i>Lobelia americana</i> L.	tall bellflower
<i>Lobelia siphilitica</i> * L.	blue lobelia
<i>Triodanis biflora</i> (R & P) Fisch. & Mey.	Venus looking glass

*Caprifoliaceae* Honeysuckle family

<i>Lonicera japonica</i> Thunb. **	Japanese honeysuckle
<i>Lonicera morrowii</i> Gray **	bush honeysuckle
<i>Lonicera sempervirens</i> L	trumpet honeysuckle
<i>Sambucus canadensis</i> L.	elderberry
<i>Symporicarpus orbiculatus</i> Moench	buck brush
<i>Triosteum perfoliatum</i> L.	horse gentian
<i>Triosteum perfoliatum</i> var. <i>aurantiacum</i> Bickn.	horse gentian
<i>Viburnum carlesii</i> **	koreanspice viburnum
<i>Viburnum prunifolium</i> L.	black haw
<i>Viburnum rafinesqueanum</i> Schultes	downy arrow wood
<i>Viburnum rufidulum</i> Raf.	rusty black haw

### *Caryophyllaceae* Pink family

<i>Cerastium nutans</i> Raf.	nodding chickweed
<i>Cerastium vulgatum</i> L.	common mouse-eared chickweed
<i>Dianthus barbatus</i> * L.	sweet william
<i>Dianthus armeria</i> L.	Deptford pink
<i>Moehringia serpyllifolia</i> (formerly <i>Arenaria</i> )	thyme-leaved sandwort
<i>Stellaria media</i> (L.) Vill.	common chickweed

### *Celtidaceae* Hackberry family

<i>Celtis occidentalis</i> L.	hackberry
<i>Celtis tenuifolia</i> Nutt.	dwarf hackberry

### *Ceratophyllaceae* Hornwort family

<i>Ceratophyllum echinatum</i> A. Gray	coon tail
Celastraceae Staff tree family	
<i>Celastrus orbiculatus</i> Thunb.**	oriental bittersweet
<i>Celastrus scandens</i> L.	bittersweet
<i>Euonymus atropurpurea</i> Jacq.	eastern wahoo
<i>Euonymus fortunei</i> (Turcz.)**	winter creeper

### *Chenopodiaceae* Goosefoot family

<i>Chenopodium album</i> L.	lamb's quarters
-----------------------------	-----------------

### *Clusiaceae* St John's wort family

<i>Hypericum perforatum</i> L.	common St. John's wort
<i>Hypericum prolificum</i> * L.	shrubby St. John's wort

### *Convolvulaceae* Morning glory family

<i>Convolvulus arvensis</i> L.	field bindweed
<i>Convolvulus sepium</i> L.	hedge bindweed
<i>Ipomoea hederacea</i> (L) Jacq.	ivy-leaf morning glory
<i>Ipomoea lacunosa</i> L.	sm. white morning glory

### *Cornaceae* - Dogwood Family

<i>Cornus florida</i> L.	dogwood
<i>Cornus drummondii</i> C. A. Mey.	rough-leaved dogwood.

### *Corylaceae* - Hazel family

<i>Ostrya virginiana</i> (Mill.) K. Koch	hop hornbeam
--	--------------

### *Crassulaceae* Stone crop family

<i>Sedum pulchellum</i> Michx.	widow's cross
--------------------------------	---------------

<i>Sedum ternatum</i> Michx.		woodland stonecrop
	<i>Dipsaceae Teasel family</i>	
<i>Dipsacus fullonum</i> L. **		teasel
	<i>Ebenaceae Ebony family</i>	
<i>Diospyros virginiana</i> L.		persimmon
	<i>Elaeagnaceae Oleaster family</i>	
<i>Elaeagnus umbellata</i> Thunb.**		autumn olive
	<i>Euphorbiaceae Spurge family</i>	
<i>Acalypha ostryafolia</i> Riddell	hop hornbeam copper leaf	
<i>Acalypha virginica</i> L.	Virginia copperleaf	
<i>Chamaesyce nutans</i> L.	nodding spurge.	
<i>Croton monanthogynus</i> (Michaux)	prairie tea	
<i>Euphorbia cyathophora</i> L.	wild poinsettia	
<i>Euphorbia spathulata</i> Lam.	tongue spurge	
<i>Phyllanthus caroliniensis</i> Walt.	leaf-flower	
	<i>Fabaceae Bean family</i>	
<i>Amphicarpa bracteata</i> (L.) Fern	hog peanut	
<i>Chamaecrista fasciculata</i> (Michaux) E. Greene	partridge pea	
<i>Coronilla varia</i> L.	crown vetch	
<i>Desmanthus illinoensis</i> (Michaux)	Illinois bundle flower	
<i>Desmodium canadense</i> (L.) DC	tickseed, beggar's lice	
<i>Desmodium glutinosum</i> (Muhl.) Wood	tick trefoil	
<i>Desmodium paniculatum</i> (L) DC	tick trefoil	
<i>Desmodium rigidum</i> (Ell.) DC	honey locust	
<i>Gleditsia triacanthos</i> L.	caley pea	
<i>Lathyrus hirsutus</i> L.	sericea lespedeza	
<i>Lespedeza cuneata</i> (Dum. Cours)**	bush clover	
<i>Lespedeza intermedia</i> (S. Wats.) Britt.	creeping bush clover	
<i>Lespedeza repens</i> (L.) Bart.	Korean clover	
<i>Lespedeza stipulacea</i> Maxim.	violet bush clover	
<i>Lespedeza violacea</i> (L.) Pers.	black medic	
<i>Medicago lupulina</i> L.	white sweet clover	
<i>Melilotus albus</i> Medik.	wild bean	
<i>Phaseolus polystachyos</i> (L.)	black locust	
<i>Robinia pseudo-acacia</i> L.	wild senna	
<i>Senna marilandica</i> L.	wild bean	
<i>Strophostyles</i> sp. ( <i>helvola</i> (L.) Ell.)	hop clover	
<i>Trifolium campestre</i> Schreb.	sm. yellow hop clover	
<i>Trifolium dubium</i> Sibth.		

<i>Trifolium pratense</i> L.	red clover
<i>Trifolium repens</i> L.	white clover
<i>Vicia dasycarpa</i> Ten.	a vetch
<i>Vicia villosa</i> Roth.	hairy vetch

### Fagaceae Oak family

<i>Quercus acutissima</i> Carruth.*	saw-toothed oak
<i>Quercus alba</i> L.	white oak
<i>Quercus falcata</i> Michx.	southern red oak
<i>Quercus imbricaria</i> Michx.	shingle oak
<i>Quercus michauxii</i> Nutt.	swamp chestnut oak
<i>Quercus muehlenbergii</i> f. <i>alexanderi</i> Engelm.	chinquapin oak
<i>Quercus palustris</i> Muenchh.	pin oak
<i>Quercus rubra</i> L.	northern red oak
<i>Quercus shumardii</i> Buckley	Shumard's oak
<i>Quercus stellata</i> Wangenh.	post oak
<i>Quercus velutina</i> Lam.	black oak

### Fumariaceae Fumitory family

<i>Dicentra cucullaria</i> (L.) Bernh.	dutchman's breeches
--	---------------------

### Geraniaceae Geranium family

<i>Erodium cicutarium</i> (L.) L'Her. & Aiton	pink needle
<i>Geranium carolinianum</i> L.	Carolina cranesbill
<i>Geranium molle</i> L.	small cranesbill
<i>Geranium pusillum</i> Burm. f.	small cranesbill

### Grossulariaceae Gooseberry family

<i>Ribes missouriensis</i> Nutt. ex Torrey & A. Gray	gooseberry
--	------------

### Hippocastanaceae - Horse Chestnut Family

<i>Aesculus glabra</i> Willd.	Ohio buckeye
-------------------------------	--------------

### Hydrophyllaceae Waterleaf family

<i>Ellisia nyctelea</i> L.	Aunt Lucy
<i>Phacelia hirsuta</i> Nutt.	fuzzy scorpion weed

### Juglandaceae Walnut family

<i>Carya cordiformis</i> (Wangenh.) K. Koch	bitternut hickory
<i>Carya glabra</i> (Mill.)	pignut hickory
<i>Carya laciniosa</i> (Michx.) Loud.	big shell-bark hickory
<i>Carya ovata</i> (Mill.) K. Koch	shag bark hickory
<i>Carya tomentosa</i> (Poir.) Nutt.	mockernut hickory
<i>Juglans nigra</i> L.	black walnut

### Lamiaceae Mint family

<i>Lamium amplexicaule</i> L.	<i>henbit</i>	<i>Lamium</i>
<i>purpureum</i> L.	<i>dead nettle</i>	
<i>Monarda fistulosa</i> L.	<i>bee balm</i>	
<i>Perrilla frutescens</i> (L.) Britt. **	<i>beef steak plant</i>	
<i>Physostegia virginiana</i> (L.) Benth.	<i>obedience, false dragon head</i>	
<i>Teucrium canadense</i> L.		<i>germander</i>

<i>Lauraceae Laurel family</i>		
<i>Sassafras albidum</i> (Nutt.) Nees		<i>sassafras</i>

<i>Lythraceae Loosestrife family</i>		
<i>Cuphea viscosissima</i> (L.) Kochne		<i>clammy cuphea</i>

<i>Malvaceae Mallow family</i>		
<i>Althaea rosea</i> * L.		<i>hollyhock</i>
<i>Callirhoe involucrata</i> * (T&G) Gray		<i>purple poppy mallow</i>
<i>Sida spinosa</i> L.		<i>prickly sida</i>

<i>Menispermaceae Moonseed family</i>		
<i>Menisperma canadense</i> L.		<i>moonseed</i>

<i>Molluginaceae Carpetweed family</i>		
<i>Mollugo verticillata</i> L.		<i>carpet weed</i>

<i>Moraceae Mulberry family</i>		
<i>Broussonetia papyrifera</i> (L.) Vent.		<i>paper mulberry</i>
<i>Morus alba</i> L.		<i>white mulberry</i>
<i>Morus rubra</i> L.		<i>red mulberry</i>

<i>Nyctaginaceae Four-o-clock family</i>		
<i>Mirabilis nyctaginea</i> (Michaux) MacMillan		<i>wild four-o'clock</i>

<i>Oleaceae Olive family</i>		
<i>Forestiera acuminata</i> (Michx.) Poir.		<i>swamp privet</i>
<i>Fraxinus americana</i> L.		<i>white ash</i>
<i>Fraxinus pennsylvanica</i> var. sub. <i>Marshall</i>		<i>green ash</i>
<i>Ligustrum ovalifolium</i> Hassk. **		<i>California privet</i>

<i>Onagraceae Evening Primrose family</i>		
<i>Oenathera biennis</i> L.		<i>Texas evening primrose</i>
<i>Oenathera speciosa</i> Nutt.		<i>evening primrose</i>

*Orobanchaceae Broomrape family*  
*Dasistoma macrophylla (Nutt.) Raf.* mullein foxglove

*Oxalidaceae Wood Sorrel family*  
*Oxalis florida Jacq.* yellow wood sorrel  
*Oxalis violacea L.* violet wood sorrel  
*Passifloraceae Passion Flower*  
*Passiflora incarnata L.* passion flower Pas-  
*Passiflora lutea L.* May pops

*Plantaginaceae Plantain family*  
*Penstemon arkansana* AR beardtongue  
*Penstemon digitalis Nutt. x Sims* foxglove beard tongue  
*Plantago lanceolata* English plantain  
*Plantago major L.* broadleaf plantain  
*Plantago virginica L.* hoary plantain  
*Veronica arvensis L.* corn speedwell  
*Veronica hederifolia L.* ivy-leaved speedwell  
*Veronica peregrina L.* necklace weed  
*Veronica polita Fries* speedwell

*Phrymaceae Lopseed family*  
*Phryma leptostachya L.* lopseed

*Phytolaccaceae Poke family*  
*Phytolacca americana L.* poke weed

*Polygonaceae Buckwheat family*

*Persicaria hydropiper (L.) Spach* water pepper  
*Persicaria hydropiperoides (Michx.) Small* wild water pepper  
*Persicaria lapathifolia (L.) A. Gray* pale smartweed  
*Fallopia convolvulus L.* vining buckwheat  
*Fallopia scandens (L.) Holub* hedge smartweed  
*Polygonum punctatum Ell.* water smartweed  
*Polygonum ramosissimum (Small) Costea & Tardif* bushy knotweed  
*Rumex altissimus Wood* pale dock  
*Rumex crispus L.* sour dock  
*Rumex verticillatus L.* swamp dock

*Portulacaceae*  
*Claytonia virginica L.* spring beauty

### *Primulaceae Primrose family*

*Anagallis arvensis* L.

scarlet pimpernel

### *Ranunculaceae Buttercup family*

<i>Anemone virginiana</i> L.	thimble flower
<i>Anemone quinquefolia</i> L. (formerly <i>Anemonella thalactroides</i> )	wood anemone
<i>Aquilegia canadensis</i> L.	columbine
<i>Clematis virginiana</i> L.	virgin's bower
<i>Delphinium tricorne</i> Michx.	dwarf larkspur
<i>Enemion biternatum</i> Raf.	false rue anemony
<i>Hydrastis canadensis</i> L.	goldenseal
<i>Ranunculus recurvatus</i> Poir.	hooked crowfoot
<i>Ranunculus hispidus</i> Michx. var. <i>nitidus</i> (Chapm.) T. Duncan	swamp buttercup
<i>Ranunculus harveyi</i> (Gray) Britt.	Harvey's buttercup
<i>Ranunculus sceleratus</i> L.	cursed crowfoot

### *Rosaceae Rose family*

<i>Agrimonia pubescens</i> Wallr.	agrimony
<i>Crataegus mollis</i> (Torr. & A. Gray) Schelle	downy hawthorn
<i>Duchesnea indica</i> (Andr.) Focke	indian strawberry
<i>Geum canadense</i> Jacq.	white avens
<i>Geum vernum</i> (Raf.) T & G	early water avens
<i>Gillenia stipulata</i> (Muhl.) Trel.	indian physic
<i>Physocarpus opulifolia</i> (L.) Maxim	ninebark
<i>Potentilla recta</i> L.	rough fruited cinquefoil
<i>Prunus mahaleb</i> L.	stinking cherry
<i>Prunus serotina</i> Ehrh.	wild black cherry
<i>Pyrus calleryana</i> Decne.**	callery, bradford pear
<i>Rosa carolina</i> L.	Carolina rose, pasture rose
<i>Rosa multiflora</i> Thunb. ex Murray**	multiflora rose
<i>Rosa setigera</i> Michx.	climbing rose, prairie rose
<i>Rubus enslenii</i> Tratt	dew berry
<i>Rubus occidentalis</i> L.	black raspberry

### *Rubiaceae Madder family*

<i>Galium aparine</i> L.	cleavers
<i>Galium concinnum</i> Torr. & A. Gray	bedstraw
<i>Galium obtusum</i> Bigelow	blunt-leaf bedstraw
<i>Galium pilosum</i>	
<i>Galium triflorum</i> Michx.	sweet scented bed straw
<i>Galium virgatum</i> Nutt. ex Torr. & A. Gray	southwest bed straw

<i>Houstonia nigricans</i> (Lam.) Fosb. ( <i>Hedyotis nigricans</i> - alternate nomenclature)	<i>glade bluets</i>
<i>Sherardia arvensis</i> L.	<i>field madder</i>

*Rutaceae Rue family*

<i>Ptelea trifoliata</i> L.	<i>hop tree, wafer ash</i>
-----------------------------	----------------------------

*Salicaceae Willow family*

<i>Salix nigra</i> Marshall	<i>black willow</i>
-----------------------------	---------------------

*Santalaceae Sandalwood family*

<i>Comandra umbellata</i> (L.) Nutt.	<i>bastard toad flax</i>
--------------------------------------	--------------------------

*Sapindaceae Soapberry family*  
(formerly *Aceraceae Maple family*)

<i>Acer negundo</i> L.	<i>box elder</i>
<i>Acer saccharinum</i> L.	<i>silver maple</i>
<i>saccharum</i> Marshall	<i>Acer sugar maple</i>

*Sapotaceae Sapodilla family*

<i>Sideroxylon lanuginosa</i> (Michaux)	<i>Gum bumelia</i>
---	--------------------

*Saxifragaceae Saxifrage family*

<i>Heuchera americana</i> L.	<i>coral bells, alum root</i>
------------------------------	-------------------------------

*Scrophulariaceae Figwort family*

<i>Scrophularia marilandica</i> L.	<i>carpenter's square</i>
<i>Verbascum thapsus</i> L.	<i>mullein, flannel plant</i>
<i>Verbascum blattaria</i> L.	<i>moth mullein</i>

*Solanaceae Nightshade family*

<i>Solanum americana</i> Mill.	<i>black nightshade</i>
<i>Solanum carolinense</i> L.	<i>horse nettle</i>
<i>Solanum physalifolium</i> (Sendtner) Rusby	<i>hairy nightshade</i>
<i>Solanum sarachoides</i> (Sendtner)	<i>nightshade</i>
<i>Physalis angulata</i> L.	<i>cutleaf ground cherry</i>
<i>Physalis longifolia</i> Nutt.	<i>long-leaved ground cherry</i>

*Staphyleaceae - Bladdernut family*

<i>Staphlea trifolia</i> L.	<i>bladdernut</i>
	<i>Tiliaceae</i>
<i>Tilia americana</i> L.	<i>Am. basswood, linden</i>
	<i>Ulmaceae</i>
<i>Ulmus alata</i> Michx.	<i>winged elm</i>
<i>Ulmus americana</i> L.	<i>American elm</i>
<i>Ulmus rubra</i> Muhl.	<i>red elm, slippery elm</i>
	<i>Urticaceae Nettle family</i>
<i>Pilea pumila</i> (L) A. Gray	<i>clear weed</i>
	<i>Valerianaceae Valerian family</i>
<i>Valerianella radiata</i> (L.) Dufr.	<i>corn salad</i>
	<i>Verbenaceae Vervain family</i>
<i>Glandularia canadenses</i> (L.) Nutt.	<i>rose verbena</i>
<i>Verbena stricta</i> Vent.	<i>hoary vervain</i>
	<i>Violaceae - Violet Family</i>
<i>Viola bicolor</i> Pursh.	<i>johnny jump-up</i> (formerly <i>Viola kitabeliana</i> )
<i>Viola pubescens</i> Aiton (formerly <i>Viola pennsylvanica</i> )	<i>smooth yellow violet</i>
<i>Viola sagittata</i> Ait.	<i>arrow-leaved violet</i>
<i>Viola sororia</i> Willd.	<i>wood violet</i>
	<i>Vitaceae Grape family</i>
<i>Amphelopsis cordata</i> Michx.	<i>raccoon grape</i>
<i>Parthenocissus quinquefolia</i> (L) Planch.	<i>Virginia creeper</i>
<i>Vitus cinerea</i> Engelm.	<i>gray-back grape</i>
<i>Vitus vulpina</i> L.	<i>fox grape</i>
	<i>Pteridophytes Ferns and Fern Allies</i>
	<i>Aspleniaceae Spleenwort fern family</i>
<i>Asplenium platyneuron</i> (L) Britt. Sterns & Poggenb.	<i>ebony spleenwort</i>
<i>Asplenium resiliens</i> Kunze	<i>little ebony spleenwort</i>

*Dryopteridaceae* Woodfern family

*Athyrium filix-femina* (L.) Roth ex Mertens lady fern

*Pteridaceae* Brake Fern family

*Pellaea atropurpurea* (L.) Link purple stem cliff brake

*Selaginellaceae*

*Selaginella apoda* (L.) Spring in Mart. et al. meadow spikemoss

*Ophioglossaceae* Adder's tongue fern family

*Botrychium virginianum* L. Sw. rattlesnake fern  
*Ophioglossum engelmannii* Prantl adder's tongue fern

*Gymnosperms*

*Cupressaceae* - Cypress Family

*Juniperus virginica* L. east. red cedar  
*Taxodium distichum* (L.) Rich \* bald cypress

*Monocotyledons*

*Alliaceae* Onion family

*Allium canadense* L. wild garlic  
*Allium cernuum* Roth. nodding wild onion  
*Allium vineale* L. field garlic  
*Allium stellatum* Ker. Gawler fall glade onion  
*Nothoscordum bivalve* (L.) Britt. false garlic

*Agavaceae* - Agave Family

*Camassia scilloides* (raf.) Cory wild hyacinth

*Araceae* Arum family

<i>Arisaema triphyllum</i> (L.) Schott	Jack-in-the-pulpit
<i>Arum italicum</i> Mill.	Ital. Lords and ladies, cuckoo's pint
<i>Lemna minor</i> L.	duck weed
<i>Wolffia columbiana</i> Karst.	water meal

### *Colchicaceae - Colchicum Family*

<i>Uvularia perfoliata</i> L.	bell wort
-------------------------------	-----------

### *Cyperaceae Sedge family*

<i>Carex albursina</i> E. Sheld.	caric sedge
<i>Carex eburnea</i> Boott. in Hook.	caric sedge
<i>Carex frankii</i> Kunth	Frank's caric sedge
<i>Carex vulpinoidea</i> Michx.	fox sedge
<i>Cyperus strigosus</i> L.	umbrella sedge

### *Dioscoreaceae Yam family*

<i>Dioscorea villosa</i> L.	wild yam
-----------------------------	----------

### *Hemerocallidaceae - Day Lily Family*

<i>Hemerocallis fulva</i> * (L.) L.	orange day lily
-------------------------------------	-----------------

### *Iridaceae Iris family*

<i>Iris virginica</i> L.	southern blue flag
<i>Sysrinchium bermudiana</i> L. em Fernald	blue-eyed grass

### *Liliaceae lily family*

<i>Erythronium albidum</i> Nutt.	trout lily
<i>Liriope muscari</i> (Decne.) L. H. Bailey	lily turf

### *Melanthiaceae - Death Camas Family*

<i>Trillium sessile</i> L.	wake robin
----------------------------	------------

### *Orchidaceae Orchid family*

<i>Corallorrhiza wisteriana</i> Conrad	spring coral root
<i>Spiranthes</i> sp. (not relocated so far)	ladies tresses

### Poaceae Grass family

<i>Agrostis hyemalis</i> (Walt.)	tickle grass
<i>Andropogon virginicus</i> L.	broom sedge
<i>Avena fatua</i> (L.)	nodding oats
<i>Bromus</i> sp. (not relocated so far)	
<i>Buchloe dactyloides</i> * (Nutt.) Engelm	buffalo grass
<i>Bouteloua curtipendula</i> (Michaux) Torr.	side oats grama
<i>Chasmanthium latifolium</i> (Michaux.)	sea oats
<i>Chloris verticillata</i> Nutt.	windmill grass
<i>Cynodon dactylon</i> (L) Pers.	Bermuda grass
<i>Digitaria sanguinalis</i> (L) Scop.	crab grass
<i>Echinochloa colonum</i> L.	jungle rice
<i>Echinochloa crus-galli</i> (L.) Beauv.	barnyard grass
<i>Elymus virginicus</i> L.	wild rye
<i>Eragrostis perrenans</i> (Walt.) Tuckerm.	love grass
<i>Festuca obtusa</i> Biehler	nodding fescue
<i>Festuca rubra</i> L.	fescue
<i>Hystrix patula</i> Moench	bottlebrush grass
<i>Lolium perenne</i> L.	perennial rye grass
<i>Panicum capillare</i> L.	common witch grass
<i>Panicum flexile</i> (Gattinger) Scribn.	wiry witchgrass
<i>Paspalum floridanum</i> Michaux	Florida paspalum
<i>Paspalum laeve</i> Michaux	bead grass
<i>Paspalum pubiflorum</i> Rupr. ex E. Fourn.	hairy seeded bead grass
<i>Phalaris arundinacea</i>	canary reed grass
<i>Phleum pratense</i> L.	timothy grass
<i>Poa annua</i> L.	annual blue grass
<i>Schizachyrium scoparium</i> (Michaux) Nash	little blue stem
<i>Setaria faberii</i> R.A W. Herrm.	giant foxtail
<i>Setaria glauca</i> (L) Beauv.	yellow foxtail
<i>Setaria pumila</i> (Poir.) Roem. & Schultz.	yellow foxtail
<i>Setaria viridis</i> (L) P. Beauv.	green foxtail
<i>Sorghum halepense</i> (L) Pers.	Johnson grass
<i>Sporobolus heterolepis</i> * (A. Gray) A. Gray	prairie dropseed
<i>Tridens flavus</i> (L) A. Hitchc.	purpletop

### Ruscaceae Butcher's Broom family

<i>Maianthemum racemosum</i> (L) Link	false Solomon seal
---------------------------------------	--------------------

### Smilacaceae Greenbriar family

<i>Smilax bona-nox</i> L.	<i>green briar</i>
<i>Smilax hispida</i> L.	<i>bristly green briar</i>
<i>Smilax pulverulenta</i> Michaux.	<i>carrion flower</i>
<i>Smilax rotundifolia</i> L.	<i>round-leaf cat briar</i>

\* An asterisk after a name indicates the plant or tree is an introduced species likely from a nursery, in the case of trees, or from a seed mix in the case of non-woody species.

\*\* Two asterisks after a plant name indicates an invasive and/or non-native species.